

# United States Patent and Trademark Office



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/942,690	08/31/2001	Takashi Hasegawa	Н-990	9330
24956 7590 03/14/2007 MATTINGLY, STANGER, MALUR & BRUNDIDGE, P.C. 1800 DIAGONAL ROAD SUITE 370 ALEXANDRIA, VA 22314			EXAMINER	
			HA, LEYNNA A	
			ART UNIT	PAPER NUMBER
			2135	
SHORTENED STATUTORY	PERIOD OF RESPONSE	MAIL DATE	DELIVERY MODE	
3 MONTHS		03/14/2007	. PAPER	

Please find below and/or attached an Office communication concerning this application or proceeding.

If NO period for reply is specified above, the maximum statutory period will apply and will expire 6 MONTHS from the mailing date of this communication.

	Application No.	Applicant(s)				
Office Action Comments	09/942,690	HASEGAWA, TAKASHI				
Office Action Summary	Examiner	Art Unit				
	LEYNNA T. HA	2135				
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address				
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.  - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.  - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.  - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).						
Status	·					
1) Responsive to communication(s) filed on 22 De	ecember 2006.					
<u></u>	action is non-final.					
, <u> </u>	, <del></del>					
closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.						
Disposition of Claims						
4)⊠ Claim(s) <u>1-14</u> is/are pending in the application.						
4a) Of the above claim(s) is/are withdrawn from consideration.						
5) Claim(s) is/are allowed.						
6) Claim(s) <u>1-14</u> is/are rejected.						
7) Claim(s) is/are objected to.						
•	·					
8) Claim(s) are subject to restriction and/or election requirement.						
Application Papers						
9) The specification is objected to by the Examiner.						
10) The drawing(s) filed on is/are: a) accepted or b) objected to by the Examiner.						
Applicant may not request that any objection to the	drawing(s) be held in abeyance. See	e 37 CFR 1.85(a).				
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).						
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.						
Priority under 35 U.S.C. § 119						
12) Acknowledgment is made of a claim for foreign	priority under 35 U.S.C. & 119(a)	h-(d) or (f)				
a) ☐ All b) ☐ Some * c) ☐ None of:	priority ariable as a.a.a. g 110(a)	(4) 51 (1).				
1. Certified copies of the priority documents	s have been received					
2. Certified copies of the priority documents		on No				
3. ☐ Copies of the certified copies of the prior						
application from the International Bureau		d in this National Stage				
	, , , ,					
* See the attached detailed Office action for a list of the certified copies not received.						
		•				
		,				
Attachment(s)						
Notice of References Cited (PTO-892)						
2) Notice of Draftsperson's Patent Drawing Review (PTO-948)	Notice of Draisperson's Patent Drawing Review (PTO-948)  Taper Rocs/Mail Date:  Notice of Informal Patent Application					
Paper No(s)/Mail Date	6) Other:	• •				
. D						

Application/Control Number: 09/942,690 Page 2

Art Unit: 2135

#### **DETAILED ACTION**

1. Claims 1-14 are pending.

#### 2. Continued Examination Under 37 CFR 1.114

A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 12/22/2006 has been entered.

#### Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

- (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 3. Claims 1-14 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kuno, et al. (US 6,584,552), and further in view of Ito, et al. (US 6,577,814).

As per claim 1:

Art Unit: 2135

Kuno discloses a broadcasting method comprising the steps of:

broadcasting contents from a broadcaster along with a <u>start</u> store command in a first time period, said <u>start</u> store command causing said contents to be stored <u>into</u> a storage medium at a receiving side; and (col.20, lines 10-13 and 17-19; Kuno discusses the first time period as where the controller sends to the STB a reception start command to start receiving the program that then leads to the record command. The start of video recording is transmitted and received asynchronously and at an arbitrary timing (col.17, lines 17-20).)

broadcasting a play command from a broadcaster in a second time period subsequent (col.21, lines 44-45; Kuno teaches that the broadcasting command is first to send a reception start in order to record (the record command) (col.20, lines 10-12 and 64-65). Next, is the play command wherein the reproduction start command is sent to the television monitor (col.21, lines 57-58) to reproduce the data (col.21, lines 63-67). Therefore, Kuno teaches the play command is broadcasted in a second time period subsequent to the first time period after broadcasting the contents.) to said first time period to a receiving side after broadcasting the contents (col.21, lines 47-48 and 56-57), said play command causing said contents stored into said storage medium to be retrieved therefrom for output of the contents, (col.21, lines 45-46 and 59-67)

Art Unit: 2135

However, Kuno did not clearly point out wherein said contents retrieved from said storage medium are outputted in a third time period, which is different from said first time period, and is pre-specified by the broadcaster.

Ito, et al. discloses an invention to provide data input/output apparatus and a data input/output method and apparatus that can output an increased number of data sheets in a high speed reproduction mode and be operated comfortably and efficiently. Ito discloses a data recording/reproducing apparatus comprising a plurality of input/output processing sections for processing and outputting input data including audio and/or video data and a plurality of non-linearly accessible recording medium in order to record the data output from the input/output processing sections in the recording medium and also to reproduce the data recorded in the recording medium and output them to the input/output processing sections (col.3, lines 10-26). The method comprising control means for controlling input/output processing means so as to make them carry out the processing operations in the allocated respective time slots and outputting time slot signals with a fixed cycle period to the respective input/output means (col.3, lines 27-31) and causing each of input/output processing sections to carry out an operation of said data in the time slots allocated to it in the first step and output the processed data to the recording medium and also causing it to process the data output from the related recording medium and externally output the processed data (col.3, lines 50-67). Ito further discusses a volume of data is stored in the memory of the port in each period and then written into the data storage collectively during the time slot allocated to the port (col.5, lines 17-23).

Art Unit: 2135

In essence, Ito reads on the claimed said contents retrieved from said storage medium are outputted in a third time period, which is different from said first time period, and is pre-specified by the broadcaster.

Thus, it would have been obvious for a person of ordinary skills in the art to combine the teaching of Kuno with teaching the claimed wherein said contents retrieved from said storage medium are outputted in a third time period, which is different from said first time period, and is pre-specified by the broadcaster as taught by Ito because the control means for controlling input/output processing means so as to make them carry out the processing operations in the allocated respective time slots and outputting time slot signals with a fixed cycle period to the respective input/output means (col.3, lines 27-31) and a volume of data is stored in the memory of the port in each period and then written into the data storage collectively during the time slot allocated to the port (col.5, lines 17-23) causing it to process the data output from the related recording medium and externally output the processed data (col.3, lines 50-67). Thus, Ito is an improvement to provide data input/output apparatus and a data input/output method and apparatus that can output an increased number of data sheets in a high speed reproduction mode and be operated comfortably and efficiently (col.3, lines 9-14).

As per claim 2: See Kuno on col.3, lines 21-35 and col.19, lines 53-67; discussing contents broadcast in said first time period are encrypted, and wherein said play command broadcast in said second time period includes a decryption key for decrypting the encrypted contents, and wherein said contents

Art Unit: 2135

stored in said storage medium are protected against unauthorized decryption and outputted in any time period except for said third time period.

As per claim 3: See Kuno on col.5, lines 20-26 and col.19, lines 1-30; discussing contents broadcast in said first time period includes an identifier identifying said contents, and wherein said play command broadcast in said second time period include an identifier allowing said contents to be retrieved from said storage medium for output.

As per claim 4: See Kuno on col.18, lines 43-46 and 21, lines 49-50; discussing contents broadcast in said first time period include an end store command for terminating the storing of said contents into said storage medium.

### As per claim 5:

Kuno discloses a broadcast receiver comprising:

a receiver which receives contents broadcast from a broadcaster in a first time period along with a <u>start</u> store command causing said contents to be stored (col.20, lines 10-13 and 17-19; Kuno discusses the first time period as where the controller sends to the STB a reception start command to start receiving the program that then leads to the record command. The start of video recording is transmitted and received asynchronously and at an arbitrary timing (col.17, lines 17-20).), and then receives a play command broadcasted from a broadcaster in a second time period subsequent to said first time period (col.21, lines 44-45; Kuno teaches that the broadcasting command is first to send a reception start in order to record (the record command) (col.20, lines 10-12 and 64-65). Next, is the play command

wherein the reproduction start command is sent to the television monitor (col.21, lines 57-58) to reproduce the data (col.21, lines 63-67). Therefore, Kuno teaches the play command is broadcasted in a second time period subsequent to the first time period after broadcasting the contents.). wherein said store start command causes said contents to be stored, and wherein said play command causes the stored contents to be retrieved for output; (col.21, lines 47-48 and 56-57)

a storage medium which stores said contents received; and (col.20, lines 17-19)

a processor which stores said contents into said storage medium in accordance with the received store start command (col.20, lines 3-4) and for retrieving said contents from said storage medium for output when said processor finds the play command is received and (col.21, lines 45-46 and 59-67)

However, Kuno did not clearly discuss wherein said contents retrieved from said storage medium are outputted in a third time period, which is different from said first time period, and is pre-specified by the broadcaster.

Ito, et al. discloses an invention to provide data input/output apparatus and a data input/output method and apparatus that can output an increased number of data sheets in a high speed reproduction mode and be operated comfortably and efficiently. Ito discloses a data recording/reproducing apparatus comprising a plurality of input/output processing sections for processing and outputting input data including audio and/or video data and a plurality of non-linearly accessible

Art Unit: 2135

recording medium in order to record the data output from the input/output processing sections in the recording medium and also to reproduce the data recorded in the recording medium and output them to the input/output processing sections (col.3, lines 10-26). The method comprising control means for controlling input/output processing means so as to make them carry out the processing operations in the allocated respective time slots and outputting time slot signals with a fixed cycle period to the respective input/output means (col.3, lines 27-31) and causing each of input/output processing sections to carry out an operation of said data in the time slots allocated to it in the first step and output the processed data to the recording medium and also causing it to process the data output from the related recording medium and externally output the processed data (col.3, lines 50-67). Ito further discusses a volume of data is stored in the memory of the port in each period and then written into the data storage collectively during the time slot allocated to the port (col.5, lines 17-23). In essence, Ito reads on the claimed said contents retrieved from said storage medium are outputted in a third time period, which is different from said first time period, and is pre-specified by the broadcaster.

Thus, it would have been obvious for a person of ordinary skills in the art to combine the teaching of Kuno with teaching the claimed wherein said contents retrieved from said storage medium are outputted in a third time period, which is different from said first time period, and is pre-specified by the broadcaster as taught by Ito because the control means for controlling input/output processing means so as to make them carry out the processing operations in the allocated

Art Unit: 2135

respective time slots and outputting time slot signals with a fixed cycle period to the respective input/output means (col.3, lines 27-31) and a volume of data is stored in the memory of the port in each period and then written into the data storage collectively during the time slot allocated to the port (col.5, lines 17-23) causing it to process the data output from the related recording medium and externally output the processed data (col.3, lines 50-67). Thus, Ito is an improvement to provide data input/output apparatus and a data input/output method and apparatus that can output an increased number of data sheets in a high speed reproduction mode and be operated comfortably and efficiently (col.3, lines 9-14).

As per claim 6: See Kuno on col.4, lines 29-30 and col.7, lines 13-15; discussing contents broadcast in said first time period are encrypted, wherein said play command broadcast in said second time period includes a decryption key for decrypting the encrypted contents, and wherein said processor retrieves the encrypted contents from said storage medium and decrypts the retrieved contents for output in said third time period pre-specified by the broadcaster, and wherein said processor protects the encrypted contents stored in said storage medium (col.2, lines 29-45) against unauthorized decryption and output in any time period except for said third time period. (col.3, lines 21-35 and col.19, lines 53-67)

As per claim 7: See Kuno on col.5, lines 20-26 and col.19, lines 1-30; discussing contents broadcast in said first time period and stored on said storage medium include a first identifier identifying said contents, wherein said play

Art Unit: 2135

command includes a second identifier, and wherein said processor retrieves for playback said contents stored on said storage medium along with said first identifier if said first identifier coincides with said second identifier included in said play command.

As per claim 8: See Kuno on col.18, lines 43-46 and 21, lines 49-50; discussing contents broadcast in said first time period include an end store command for terminating the storing of said contents into said storage medium, and wherein said processor terminates the storing of said contents into said storage medium the moment said end store command is received.

As per claim 9: See Kuno on col.19, lines 53-67; discussing processor stores the received decryption key into a memory and deletes said decryption key from said memory after decrypting the encrypted contents using said decryption key.

#### As per claim 10:

Kuno discloses a broadcasting method comprising the steps of:

Broadcasting, by a broadcaster, a store <u>start</u> command and contents to be stored <u>into</u> a storage medium at a receiving side in the first time period; and (col.20, lines 10-13 and 17-19; Kuno discusses the first time period as where the controller sends to the STB a reception start command to start receiving the program that then leads to the record command. The start of video recording is transmitted and received asynchronously and at an arbitrary timing (col.17, lines 17-20).)

period subsequent to said first time period (col.21, lines 44-45; Kuno teaches that the broadcasting command is first to send a reception start in order to record (the record command) (col.20, lines 10-12 and 64-65). Next, is the play command wherein the reproduction start command is sent to the television monitor (col.21, lines 57-58) to reproduce the data (col.21, lines 63-67). Therefore, Kuno teaches the play command is broadcasted in a second time period subsequent to the first time period after broadcasting the contents.) to the receiving side after broadcasting the contents (col.21, lines 47-48 and 56-57), said broadcasting play command causing said contents stored in said storage medium to be output for playing (col.21, lines 45-46 and 59-67).

However, Kuno did not clearly discuss a third time period, which is different from said first time period, and is pre-specified by the broadcaster.

Ito, et al. discloses an invention to provide data input/output apparatus and a data input/output method and apparatus that can output an increased number of data sheets in a high speed reproduction mode and be operated comfortably and efficiently. Ito discloses a data recording/reproducing apparatus comprising a plurality of input/output processing sections for processing and outputting input data including audio and/or video data and a plurality of non-linearly accessible recording medium in order to record the data output from the input/output processing sections in the recording medium and also to reproduce the data recorded in the recording medium and output them to the input/output processing

Art Unit: 2135

sections (col.3, lines 10-26). The method comprising control means for controlling input/output processing means so as to make them carry out the processing operations in the allocated respective time slots and outputting time slot signals with a fixed cycle period to the respective input/output means (col.3, lines 27-31) and causing each of input/output processing sections to carry out an operation of said data in the time slots allocated to it in the first step and output the processed data to the recording medium and also causing it to process the data output from the related recording medium and externally output the processed data (col.3, lines 50-67). Ito further discusses a volume of data is stored in the memory of the port in each period and then written into the data storage collectively during the time slot allocated to the port (col.5, lines 17-23). In essence, Ito reads on the claimed a third time period, which is different from said first time period, and is pre-specified by the broadcaster.

Thus, it would have been obvious for a person of ordinary skills in the art to combine the teaching of Kuno with teaching the claimed of a third time period, which is different from said first time period, and is pre-specified by the broadcaster as taught by Ito because the control means for controlling input/output processing means so as to make them carry out the processing operations in the allocated respective time slots and outputting time slot signals with a fixed cycle period to the respective input/output means (col.3, lines 27-31) and a volume of data is stored in the memory of the port in each period and then written into the data storage collectively during the time slot allocated to the port (col.5, lines 17-23) causing it to process the data output from the related

Art Unit: 2135

recording medium and externally output the processed data (col.3, lines 50-67). Thus, Ito is an improvement to provide data input/output apparatus and a data input/output method and apparatus that can output an increased number of data sheets in a high speed reproduction mode and be operated comfortably and efficiently (col.3, lines 9-14).

### As per claim 11:

Kuno discloses a program stored on a computer readable storage medium executing a contents playback method on a computer, comprising instructions of:

finding a store <u>start</u> command in a broadcast, (col.20, lines 64-65; Kuno discusses the first time period as where the controller sends to the STB a reception start command to start receiving the program that then leads to the record command. The start of video recording is transmitted and received asynchronously and at an arbitrary timing (col.17, lines 17-20).)

storing contents subsequent to said broadcasted store <u>start</u> command in a storage medium at the receiving side, (col.20, lines 10-13 and 17-19)

finding a play command in a broadcast, said broadcasted play command including an identifier which identifies contents broadcasted beforehand and store in said storage medium, and (col.20, lines 30-34 and col.21, lines 47-48 and 56-57)

playing contents identified with said broadcasted play command, from said storage medium (col.21, lines 45-46 and 59-67; Kuno first sends a starting reception of a program (applicant's begin store command from the broadcasting station (col.20, lines 10-12) wherein the record start command

Art Unit: 2135

to the hard disk apparatus (col.20, lines 12-13 and 64-65). Next, is the play command (col.21, lines 44-45) wherein the reproduction start command is sent to the television monitor (col.21, lines 57-58) to reproduce the data (col.21, lines 63-67). Therefore, Kuno teaches the play command is broadcasted subsequent to the first time period after broadcasting the contents.).

However, Kuno did not clearly discuss a third time period, which is different from said first time period, and is pre-specified by the broadcaster.

Ito, et al. discloses an invention to provide data input/output apparatus and a data input/output method and apparatus that can output an increased number of data sheets in a high speed reproduction mode and be operated comfortably and efficiently. Ito discloses a data recording/reproducing apparatus comprising a plurality of input/output processing sections for processing and outputting input data including audio and/or video data and a plurality of non-linearly accessible recording medium in order to record the data output from the input/output processing sections in the recording medium and also to reproduce the data recorded in the recording medium and output them to the input/output processing sections (col.3, lines 10-26). The method comprising control means for controlling input/output processing means so as to make them carry out the processing operations in the allocated respective time slots and outputting time slot signals with a fixed cycle period to the respective input/output means (col.3, lines 27-31) and causing each of input/output processing sections to carry out an operation of said data in the time slots allocated to it in the first step and output

the processed data to the recording medium and also causing it to process the data output from the related recording medium and externally output the processed data (col.3, lines 50-67). Ito further discusses a volume of data is stored in the memory of the port in each period and then written into the data storage collectively during the time slot allocated to the port (col.5, lines 17-23). In essence, Ito reads on the claimed a third time period, which is different from said first time period, and is pre-specified by the broadcaster.

Thus, it would have been obvious for a person of ordinary skills in the art to combine the teaching of Kuno with teaching the claimed of a third time period, which is different from said first time period, and is pre-specified by the broadcaster as taught by Ito because the control means for controlling input/output processing means so as to make them carry out the processing operations in the allocated respective time slots and outputting time slot signals with a fixed cycle period to the respective input/output means (col.3, lines 27-31) and a volume of data is stored in the memory of the port in each period and then written into the data storage collectively during the time slot allocated to the port (col.5, lines 17-23) causing it to process the data output from the related recording medium and externally output the processed data (col.3, lines 50-67). Thus, Ito is an improvement to provide data input/output apparatus and a data input/output method and apparatus that can output an increased number of data sheets in a high speed reproduction mode and be operated comfortably and efficiently (col.3, lines 9-14).

Art Unit: 2135

See Kuno on col.4, lines 29-30 and col.7, lines 13-15; As per claim 12: discussing contents are encrypted, and said play command includes a decryption key for decrypting the encrypted contents, wherein said step for playing includes a step for decrypting the contents before playing;

wherein the decrypted contents are played in said third time period prespecified by the broadcaster, and wherein said encrypted contents stored in said storage medium (col.2, lines 29-45) are protected again unauthorized decryption and output in any time period except said third time period. (col.3, lines 21-35 and col.19, lines 53-67)

As per claim 13: See Kuno on col.4, lines 9-24; discusses finding an end store command in a broadcast; and terminating the storing of contents onto said storage medium in response to said end store command is received.

As per claim 14: See Kuno on col.3, lines 21-35 and col.7, lines 55-58; discusses deleting said decryption key after decrypting the encrypted contents.

## Response to Arguments

4. Applicant's arguments with respect to claims 1-14 have been considered but are moot in view of the new ground(s) of rejection.

#### **Conclusion**

Any inquiry concerning this communication or earlier communications from the examiner should be directed to LEYNNA T. HA whose telephone number is

(571) 272-3851. The examiner can normally be reached on Monday - Thursday (7:00 - 5:00PM).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Kim Vu can be reached on (571) 272-3859. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

LHa

SUPERVISORY PATENT EXAMINED TECHNOLOGY CENTER 2100